BRINKS, HOFER, ET AL

RECEIVED
CENTRAL FAX CENTER
20001
OCT 1 4 2004

				_
	TIFICATE OF FACSIMILE TRA			I BINKS
hereby certify	that this correspondence,	totaling & pages	(Including any recited	BRINKS
attachments) is being facsimile transmitted to the (primary fax no.: 703-872-9306) on the below dis		date and time:	t and Trademark Unice	HOFER
Date/time: 10-14-04 a:51 P. h		h.	_	GILSON
Name: Shirley Courey Sig		Signature:	ley Couran	&LIONE
IN	THE UNITED STATE	S PATENT AND TR	RADEMARK OFFIC	E:
In re Appln. of:	Helmut Fennel, et al.			
Appln. No.:	09/936,638		Examiner: A	vr dre K. Jackson
Filed:	December 12, 2002		Art Unit: 2	B!56
For:	METHOD FOR DETE PARAMETERS	RMINING		
Attomey Docke	t No: 10543-032			
		·		
	APPLICANT INITIA	TED INTERVIEW R	EQUEST FORM	
Tentative Partic	ipants			* * * * * * * * * * * * * * * * * * *
(1) Michael N. Spink		(2)		C
(3)		(4)		
Proposed Date	of Interview:	Proposed Tim	ne: (AM/PM)	**
Type of Intervier (1) Telephon		ersonal (3)	Video Conference	1
	hown or Demonstrated	: 🗌 YES 🛛 NO		

ISSUES TO BE DISCUSSED

Brief Description of Arguments to be Presented:

- 1. Objection to the term "switching valve". A valve is inherently switched between on and off positions or positions therebetween. Paragraph [0010] of the specification discloses sending a switching signal to the valve. Accordingly, the claims uses the term "switching valves" to mean that valves are switched over to generate a pressure build-up. "Switching" is used as a verb.
- 2. The availability of the Fuhrer, Kahl and Cornell references. The Examiner asserts the priority documents supplied by the Applicants are not translated into English. To the contrary, the '371 filing includes an English translation of the International Application as filed, as clearly indicated on the Transmittal Letter. The Applicants believe that this is

Appln. No. 09/936,638

Attorney Docket No. 10543-032

sufficient to overcome these references but would like to determine if the Examiner is asserting that the original German applications on which the PCT application is based are required to be translated, although Applicant does not believe this is necessary.

- 3. The finality of the Office Action. The Examiner has only now requested translations of priority documents, but by making the Office Action final, has not given the Applicants any opportunity to provide such documents. Accordingly, the Applicants feel the finality is premature and request withdrawal of the finality of the Office Action in order to provide any translations which the Examiner deems necessary.
- 4. The Oyama reference. The citation of the graphs in the figures is wholly inadequate to assert that the Oyama references discloses a pressure build-up within time limits. The specification does not support the same, and any graph of pressure versus time is going to have a maximum pressure in a time range. One embodiment of Oyama actually teaches away from the present invention, and a reference must be considered in its entirety, including portions which teach away, pursuant to MPEP § 2141.02.

'Auglicant/Auglicant/a	Representative Signature)	(Examiner/SPE Signature)
ADDIICANT/ADDIICANTS	Representative Signature)	(Examinerate Signalite)

